



ARO Style

PART NUMBER	BORE	OD	PITCH	WIDTH	BALL DIA	BALL QTY	BALL DIA	L1	LO	L2	CRNR	WT/LBS	MAX RPM	LOAD RATING	
								O/R ID	I/R OD	O/R LAND	BRK			RADIAL	AXIAL
PAA10ARO	1.000	1.375	1.1875	0.1875	0.1875	28	3/32	1.235	1.141	1.279	0.02	0.03	21000	147	430
PAA15ARO	1.500	1.875	1.6875	0.1875	0.1875	40	3/32	1.735	1.641	1.778	0.02	0.04	14000	182	525
PAA17ARO	1.750	2.124	1.9375	0.1875	0.1875	46	3/32	1.985	1.891	2.027	0.02	0.05	12000	198	600
PA020ARO	2.000	2.500	2.2500	0.2500	0.2500	36	1/8	2.313	2.187	2.371	0.03	0.10	10500	320	800
PB020ARO	2.000	2.625	2.3125	0.3125	0.3125	31	5/32	2.391	2.234	2.465	0.05	0.16	10500	450	1175
PA025ARO	2.500	3.000	2.7500	0.2500	0.2500	44	1/8	2.813	2.687	2.871	0.03	0.13	8400	365	900
PB025ARO	2.500	3.125	2.8125	0.3125	0.3125	38	5/32	2.891	2.734	2.965	0.05	0.19	8400	525	1500
PA030ARO	3.000	3.500	3.2500	0.2500	0.2500	52	1/8	3.313	3.187	3.371	0.03	0.15	6000	410	1100
PB030ARO	3.000	3.625	3.3125	0.3125	0.3125	44	5/32	3.391	3.234	3.465	0.05	0.24	7000	570	1700
PA035ARO	3.500	4.000	3.7500	0.2500	0.2500	60	1/8	3.813	3.687	3.871	0.03	0.18	5142	450	1100
PB035ARO	3.500	4.125	3.8125	0.3125	0.3125	51	5/32	3.891	3.734	3.965	0.05	0.27	5145	635	1875
PA040ARO	4.000	4.500	4.2500	0.2500	0.2500	68	1/8	4.313	4.187	4.371	0.03	0.20	4500	490	1275
PB040ARO	4.000	4.625	4.3125	0.3125	0.3125	58	5/32	4.391	4.234	4.465	0.05	0.30	4500	700	2000
PC040ARO	4.000	4.750	4.3750	0.3750	0.3750	49	3/16	4.470	4.280	4.558	0.05	0.45	5275	860	2200
PD040ARO	4.000	5.000	4.500	0.500	0.500	36	1/4	4.626	4.374	4.743	0.07	0.78	5250	1350	3900
PF040ARO	4.000	5.500	4.750	0.750	0.750	26	3/8	4.938	4.562	5.118	0.09	1.90	5250	2600	7900
PG040ARO	4.000	6.000	5.000	1.000	1.000	20	1/2	5.251	4.749	5.496	0.09	3.60	5250	4450	12800
PA042ARO	4.246	4.746	4.4962	0.2500	0.2500	72	1/8	4.560	4.433	4.617	0.03	0.21	4235	510	1300
PB042ARO	4.246	4.871	4.5587	0.3125	0.3125	61	5/32	4.638	4.480	4.711	0.05	0.31	4250	705	2050
PC042ARO	4.246	4.996	4.6212	0.3750	0.3750	52	3/16	4.716	4.527	4.805	0.05	0.47	4240	900	2300
PD042ARO	4.246	5.246	4.746	0.500	0.500	38	1/4	4.872	4.620	4.989	0.07	0.83	4940	1400	4100
PF042ARO	4.246	5.7462	4.996	0.750	0.750	27	3/8	5.185	4.808	5.364	0.09	2.00	4900	2700	8200
PG042ARO	4.246	6.246	5.246	1.000	1.000	21	1/2	5.497	4.995	5.742	0.09	3.80	4900	4450	13700
PA045ARO	4.500	5.000	4.7500	0.2500	0.2500	76	1/8	4.813	4.687	4.871	0.03	0.23	4000	525	1350

PB045ARO	4.500	5.125	4.8125	0.3125	0.3125	64	5/32	4.891	4.734	4.965	0.05	0.33	4000	740	2175
PC045ARO	4.500	5.250	4.8750	0.3750	0.3750	55	3/16	4.970	4.780	5.058	0.05	0.48	4000	910	2500
PD045ARO	4.500	5.500	5.000	0.500	0.500	40	1/4	5.126	4.874	5.243	0.07	0.88	4620	1450	4300
PF045ARO	4.500	6.000	5.250	0.750	0.750	29	3/8	5.438	5.062	5.618	0.09	2.10	4650	2800	8500
PG045ARO	4.500	6.500	5.500	1.000	1.000	22	1/2	5.751	5.249	5.996	0.09	4.00	4500	4550	13900
PA047ARO	4.752	5.252	5.0017	0.2500	0.2500	80	1/8	5.065	4.938	5.122	0.03	0.24	3790	535	1375
PB047ARO	4.752	5.377	5.0642	0.3125	0.3125	68	5/32	5.143	4.985	5.215	0.05	0.34	3800	750	2225
PC047ARO	4.752	5.502	5.1267	0.3750	0.3750	58	3/16	5.221	5.032	5.309	0.05	0.50	3795	940	2700
PD047ARO	4.752	5.752	5.252	0.500	0.500	42	1/4	5.378	5.126	5.495	0.07	0.94	4400	1470	4500
PF047ARO	4.752	6.252	5.502	0.750	0.750	30	3/8	5.690	5.313	5.870	0.09	2.20	4400	2900	8900
PG047ARO	4.752	6.752	5.752	1.000	1.000	23	1/2	6.003	5.501	6.247	0.09	4.10	4400	4850	14500
PA050ARO	5.000	5.500	5.2500	0.2500	0.2500	84	1/8	5.314	5.187	5.370	0.03	0.25	3600	545	1400
PB050ARO	5.000	5.625	5.3125	0.3125	0.3125	71	5/32	5.392	5.233	5.464	0.05	0.38	3600	790	2250
PC050ARO	5.000	5.750	5.3750	0.3750	0.3750	61	3/16	5.470	5.280	5.557	0.05	0.58	3620	990	2900
PD050ARO	5.000	6.000	5.500	0.500	0.500	44	1/4	5.626	5.374	5.743	0.07	1.00	4200	1550	4600
PF050ARO	5.000	6.500	5.750	0.750	0.750	31	3/8	5.939	5.562	6.118	0.09	2.30	4175	3050	9150
PG050ARO	5.000	7.000	6.000	1.000	1.000	24	1/2	6.251	5.749	6.495	0.09	4.30	4200	4950	15000
PA055ARO	5.500	6.000	5.7500	0.2500	0.2500	92	1/8	5.814	5.687	5.870	0.03	0.28	3275	595	1525
PB055ARO	5.500	6.125	5.8125	0.3125	0.3125	78	5/32	5.892	5.733	5.964	0.05	0.41	3275	825	2500
PC055ARO	5.500	6.250	5.8750	0.3750	0.3750	66	3/16	5.970	5.780	6.057	0.05	0.59	3300	1050	3100
PD055ARO	5.500	6.500	6.000	0.500	0.500	48	1/4	6.126	5.874	6.243	0.07	1.06	3250	1630	4900
PF055ARO	5.500	7.000	6.250	0.750	0.750	34	3/8	6.439	6.062	6.618	0.09	2.50	3775	3200	9500
PG055ARO	5.500	7.500	6.500	1.000	1.000	26	1/2	6.751	6.249	6.995	0.09	4.70	3800	5100	15600
PA060ARO	6.000	6.500	6.2500	0.2500	0.2500	100	1/8	6.314	6.187	6.370	0.03	0.30	2950	615	1675
PB060ARO	6.000	6.625	6.3125	0.3125	0.3125	85	5/32	6.392	6.233	6.464	0.05	0.44	300	900	2600
PC060ARO	6.000	6.750	6.3750	0.3750	0.3750	72	3/16	6.470	6.280	6.557	0.05	0.63	3000	1110	3200
PD060ARO	6.000	7.000	6.500	0.500	0.500	52	1/4	6.626	6.374	6.743	0.07	1.16	3000	1750	5100
PF060ARO	6.000	7.500	6.750	0.750	0.750	37	3/8	6.939	6.562	7.118	0.09	2.70	3475	3300	10000
PG060ARO	6.000	8.000	7.000	1.000	1.000	28	1/2	7.251	6.749	7.495	0.09	5.10	3500	5550	1660
PA065ARO	6.500	7.000	6.7500	0.2500	0.2500	108	1/8	6.814	6.687	6.870	0.03	0.33	2625	650	1800
PB065ARO	6.500	7.125	6.8125	0.3125	0.3125	91	5/32	6.892	6.733	6.964	0.05	0.47	2775	930	2700
PC065ARO	6.500	7.250	6.8750	0.3750	0.3750	78	3/16	6.970	6.780	7.057	0.05	0.68	2795	1160	3250
PD065ARO	6.500	7.500	7.000	0.500	0.500	56	1/4	7.126	6.874	7.243	0.07	1.22	2750	1850	5500
PF065ARO	6.500	8.000	7.250	0.750	0.750	40	3/8	7.439	7.062	7.618	0.09	2.90	3200	3450	11000
PG065ARO	6.500	8.500	7.500	1.000	1.000	30	1/2	7.751	7.249	7.995	0.09	5.40	3200	5650	16900
PA070ARO	7.000	7.500	7.2500	0.2500	0.2500	116	1/8	7.314	7.187	7.370	0.03	0.35	2300	690	2000
PB070ARO	7.000	7.625	7.3125	0.3125	0.3125	98	5/32	7.392	7.233	7.464	0.05	0.50	2600	970	2800
PC070ARO	7.000	7.750	7.3750	0.3750	0.3750	83	3/16	7.470	7.280	7.557	0.05	0.73	2580	1225	3500
PD070ARO	7.000	8.000	7.500	0.500	0.500	60	1/4	7.626	7.374	7.743	0.07	1.31	2550	1875	5700
PF070ARO	7.000	8.500	7.750	0.750	0.750	43	3/8	7.939	7.562	8.118	0.09	3.10	3000	3650	11300
PG070ARO	7.000	9.000	8.000	1.000	1.000	32	1/2	8.251	7.749	8.495	0.09	5.80	3000	6150	18400
PA075ARO	7.500	8.000	7.7500	0.2500	0.2500	124	1/8	7.814	7.686	7.869	0.03	0.38	2000	725	2100
PB075ARO	7.500	8.125	7.8125	0.3125	0.3125	105	5/32	7.892	7.733	7.962	0.05	0.53	2000	1100	3000
PC075ARO	7.500	8.250	7.8750	0.3750	0.3750	89	3/16	7.970	7.780	8.056	0.05	0.78	2400	1265	3900
PD075ARO	7.500	8.500	8.000	0.500	0.500	64	1/4	8.126	7.874	8.243	0.07	1.41	2400	2000	6000
PF075ARO	7.500	9.000	8.250	0.750	0.750	45	3/8	8.439	8.061	8.618	0.09	3.30	2800	3850	11700
PG075ARO	7.500	9.500	8.500	1.000	1.000	34	1/2	8.751	8.249	8.994	0.09	6.10	2800	6225	18600
PA080ARO	8.000	8.500	8.2500	0.2500	0.2500	132	1/8	8.314	8.186	8.369	0.03	0.40	1875	740	2175

PB080ARO	8.000	8.625	8.3125	0.3125	0.3125	112	5/32	8.392	8.233	8.462	0.05	0.57	1875	1130	3200
PC080ARO	8.000	8.750	8.3750	0.3750	0.3750	95	3/16	8.470	8.280	8.556	0.05	0.84	2260	1320	4000
PD080ARO	8.000	9.000	8.500	0.500	0.500	68	1/4	8.626	8.374	8.743	0.07	1.53	2250	2050	6300
PF080ARO	8.000	9.500	8.750	0.750	0.750	48	3/8	8.939	8.561	9.118	0.09	3.50	2200	4100	12000
PG080ARO	8.000	10.000	9.000	1.000	1.000	36	1/2	9.251	8.749	9.494	0.09	6.50	2600	6650	19900
PA090ARO	9.000	9.500	9.2500	0.2500	0.2500	148	1/8	9.314	9.186	9.369	0.03	0.43	1325	830	2300
PB090ARO	9.000	9.625	9.3125	0.3125	0.3125	125	5/32	9.392	9.233	9.462	0.05	0.66	1725	1150	3400
PC090ARO	9.000	9.750	9.3750	0.3750	0.3750	106	3/16	9.470	9.280	9.556	0.05	0.94	1675	1430	4300
PD090ARO	9.000	10.000	9.500	0.500	0.500	76	1/4	9.626	9.374	9.743	0.07	1.72	2000	2250	6700
PF090ARO	9.000	10.500	9.750	0.750	0.750	54	3/8	9.939	9.561	10.118	0.09	3.90	2000	4225	12700
PG090ARO	9.000	11.000	10.000	1.000	1.000	40	1/2	10.251	9.749	10.494	0.09	7.20	2300	7050	21100
PA100ARO	10.000	10.500	10.2500	0.2500	0.2500	164	1/8	10.314	10.186	10.368	0.03	0.45	1200	870	2500
PB100ARO	10.000	10.625	10.3125	0.3125	0.3125	139	5/32	10.392	10.233	10.462	0.05	0.73	1500	1200	3600
PC100ARO	10.000	10.750	10.3750	0.3750	0.3750	118	3/16	10.470	10.280	10.555	0.05	1.06	1500	1490	4700
PD100ARO	10.000	11.000	10.500	0.500	0.500	84	1/4	10.626	10.374	10.742	0.07	1.88	1800	2400	7100
PF100ARO	10.000	11.500	10.750	0.750	0.750	59	3/8	10.939	10.561	11.117	0.09	4.30	1800	4600	14000
PG100ARO	10.000	12.000	11.000	1.000	1.000	44	1/2	11.251	10.749	11.493	0.09	7.90	1800	7500	22300
PA110ARO	11.000	11.500	11.2500	0.2500	0.2500	180	1/8	11.314	11.186	11.368	0.03	0.48	1100	920	2700
PB110ARO	11.000	11.625	11.3125	0.3125	0.3125	152	5/32	11.392	11.233	11.462	0.05	0.75	1150	1350	3800
PC110ARO	11.000	11.750	11.3750	0.3750	0.3750	129	3/16	11.470	11.280	11.555	0.05	1.16	1370	1550	5000
PD110ARO	11.000	12.000	11.500	0.500	0.500	92	1/4	11.626	11.374	11.742	0.07	2.06	1360	2550	7600
PF110ARO	11.000	12.500	11.750	0.750	0.750	65	3/8	11.939	11.561	12.117	0.09	4.70	1600	4975	15000
PG110ARO	11.000	13.000	12.000	1.000	1.000	48	1/2	12.251	11.749	12.493	0.09	8.60	1600	8000	24400
PA120ARO	12.000	12.500	12.2500	0.2500	0.2500	196	1/8	12.314	12.186	12.368	0.03	0.50	1000	990	2900
PB120ARO	12.000	12.625	12.3125	0.3125	0.3125	166	5/32	12.392	12.233	12.462	0.05	0.83	1000	1400	4100
PC120ARO	12.000	12.750	12.3750	0.3750	0.3750	140	3/16	12.470	12.280	12.555	0.05	1.25	1250	1700	5500
PD120ARO	12.000	13.000	12.500	0.500	0.500	100	1/4	12.626	12.374	12.742	0.07	2.25	1250	2700	8100
PF120ARO	12.000	13.500	12.750	0.750	0.750	70	3/8	12.939	12.561	13.117	0.09	5.10	1500	5250	15800
PG120ARO	12.000	14.000	13.000	1.000	1.000	52	1/2	13.251	12.749	13.493	0.09	9.30	1500	8400	25200
PD140ARO	14.000	15.000	14.500	0.500	0.500	116	1/4	14.627	14.373	14.742	0.07	2.73	1070	3100	8600
PG140ARO	14.000	16.000	15.000	1.000	1.000	60	1/2	15.252	14.748	15.492	0.09	10.80	1200	9300	28300
PD160ARO	16.000	17.000	16.500	0.500	0.500	132	1/4	16.627	16.373	16.742	0.07	3.10	750	3400	9100
PG160ARO	16.000	18.000	17.000	1.000	1.000	68	1/2	17.252	16.748	17.492	0.09	12.30	1100	10000	31400
PD180ARO	18.000	19.000	18.500	0.500	0.500	148	1/4	18.627	18.373	18.743	0.07	3.48	650	3700	10850
PG180ARO	18.000	20.000	19.000	1.000	1.000	76	1/2	19.252	18.748	19.492	0.09	13.70	1000	10900	34500
PD200ARO	20.000	21.000	20.500	0.500	0.500	164	1/4	20.627	20.373	20.743	0.07	3.85	600	3900	11600
PG200ARO	20.000	22.000	21.000	1.000	1.000	84	1/2	21.252	20.748	21.491	0.09	15.80	750	11650	37600
PD250ARO	25.000	26.000	25.500	0.500	0.500	204	1/4	25.627	25.373	25.743	0.07	4.79	450	4500	13400
PG250ARO	25.000	27.000	26.000	1.000	1.000	104	1/2	26.253	25.747	26.488	0.09	19.50	600	13450	40800
PG300ARO	30.000	32.000	31.000	1.000	1.000	124	1/2	31.253	30.747	31.488	0.09	23.30	400	15000	45900
PG350ARO	35.000	37.000	36.000	1.000	1.000	144	1/2	36.254	35.746	36.485	0.09	27.10	300	16700	51000