

| | | | $D = \begin{bmatrix} a \\ c \\$ | | | | |
|-------------------------------------|---|----------------------------|--|---|------------------|------------|--|
| | | 90 mm | | | <u> </u> | | |
|) | | 160 mm | B | | | | |
| | | 52.4 mm | | | | | |
| | | 25° contact angle | | | | | |
| | | INA | | | | | |
| | | Chrome Steel 100Cr6 | | | | | |
| | | 52100 Chrome Steel | | | | | |
| | | 31922.87 lbs | | | | | |
| | | 31922.87 lbs | | COMPONENT Double Row Angular Cont | | ar Contact | |
| | | Rubber Seal | | | Bearing | | |
| Desific International Destring Inc. | | nternational Bearing, Inc. | This file and any associated information and specifications are provided for reference and evaluation purposes only, and is subject to change without notice. PIB makes no representations, warranties or guarantees as to the appropriateness, accuracy, completeness, or suitability for any purpose, of the file, information or specifications. You are solely responsible for the use of the file, information or specifications. | 3218- | -2RS | UNIT | |
| | 33258 Central Ave, Union City, CA 94587 1-800-228-8895, 510-512-7000, info@pibsales.com www.pibsales.com | | | IN 90mm X 160mm X 52 Angular Contact, A | .4mm, Double Row | METRIC | |
| | | | | Bearing, Double Row / Seals, -b-2rs-tvh | | SHEET | |

| 90 mm | | |
|---|--|--------------|
| 160 mm | | |
| 52.4 mm | | |
| 25° contact angle | | |
| INA | | |
| Chrome Steel 100Cr6 52100 Chrome Steel | | |
| | | 31922.87 lbs |
| 31922.87 lbs | | |
| Rubber Seal | | |
| | | |