REFERENCE			$D = \begin{pmatrix} r \\ d_1 \\ d_2 \\ d_1 \\ d_1 \\ d_2 \\ d_1 \\ d_2 \\ d_1 \\ d_1 \\ d_2 \\ d_1 \\ d_1 \\ d_2 \\ d_1 \\ d_1 \\ d_2 \\ d_1 \\ d_1 \\ d_1 \\ d_2 \\ d_1 \\ d_1 \\ d_1 \\ d_2 \\ d_1 \\ $			
Bore Diameter (d) 12 mm						
Outside Diameter (D) 24 mm						
Width (B)	6 mm					
Closure	Rubber Seal Non-Co	ontact				
Ring Material	Stainless Steel					
Ball Material		I 440C Stainless Steel				
Brand	FAG					
Radial Clearance Normal				COMPONENT	INT METRIC SERIES SEALED	
Pacific Internatio		Searing, Inc.	This file and any associated information and specifications are provided for reference and evaluation purposes only and is subject to change without notice. PIE	S61901-2RSR-HLC		UNIT
ΫI₿	33258 Central Ave, Union C 1-800-228-8895, 510-5 info@pibsales.co	512-7000, om	makes no representations, warranties or guarantees as to the appropriateness, accuracy, completeness, or suitability for any purpose, of the file, information or	FAG 12 Mm X 24 Mm X 6 Mm, Single Row Radial, Deep Groove Ball Bearing, Two Non		METRIC
	www.pibsales.com		specifications. You are solely responsible for the use of the file, information or specifications.	Contact Rubber Seals		SHEET