


O.D. (D)	1 1/8 in
Tariff Code	8483.60.8000
Bore (B1)	0.5000 in
Bore Tolerance	+0.0020 in / +0.0005 in
Screw Material	18-8 300 Series Stainless Steel
Screw Finish	Bright
Forged Clamp Screw	#8-32
ISO 9001:2015	Certified
REACH	Compliant
RoHS3	Compliant
Conflict Minerals	Compliant
Material	303 Stainless Steel
Screw Location (R)	0.406 in
Number of Screws	2 ea
Seating Torque	28 lb-in
Hex Wrench Size	9/64 in
Temperature	-40°F to 350°F (-40°C to 176°C)
Country of Origin	USA
Finish Specification	Bright No Plating
Shaft Tolerance	+0.0000 in / -0.0005 in
UNSPC	31162811
Clearance Diameter (C) MAX	1.281 in
Material Specification	303 Stainless Steel
Brand	Ruland



COMPONENT	Shaft Collar - D-Bore
-----------	-----------------------



Pacific International Bearing, Inc.
33258 Central Ave, Union City, CA 94587
1-800-228-8895, 510-512-7000,
info@pibsales.com
www.pibsales.com

This file and any associated information and specifications are provided for reference and evaluation purposes only, and is subject to change without notice. PIB makes no representations, warranties or guarantees as to the appropriateness, accuracy, completeness, or suitability for any purpose, of the file, information or specifications. You are solely responsible for the use of the file, information or specifications.

SPD-8-SS
Ruland
0.5000in Bore; 1.1250in Od, 0.4060in Width,
D-bore Shaft Collar, 303 Stainless Steel,
One-piece, Clamp Style

UNIT

Inch

SHEET